

KNAPHEIDE LANDSCAPER BODIES

The function and versatility of the Knapheide Landscaper Body is specifically designed for the needs of the landscape contractor. Built with the quality and strength of a Knapheide Platform Body, the versatile Landscaper Body has everything you need to get the job done.



Visit knapheide.com/quote and fill out the form to receive a quote and additional product information.

STANDARD FEATURES

- A** Side access door on curb side has 50" wide opening for pallets, balled trees, shrubs, bagged materials, etc. Side access door can be locked in the open position.
- B** Step and grab handle for the side access door for easy access to the cargo area
- C** Bolt-on, reinforced bulkhead pre-punched to accept cab guard and tarp options
- D** Swing-out rear gates are on heavy duty hinges, and have ability to secure to side panels
- E** Rear gates are punched for proper air flow through bed space
- F** Heavy duty cam lock on rear gates for long-term durability
- G** 40" tall sides panels are constructed of roll-formed 14-gauge steel and reinforced by 13-gauge steel stakes. Side panels include tarp tie-down rail.
- H** All LED clearance and marker lights

Other features not shown:

- Clearance lights and an automotive wire harness included with body
- Floor assembly is constructed of 10-gauge high strength steel floor plate with 10-gauge formed cross sills and 5" structural long sills
- Material tie-down brackets are located in both front corners of cargo area
- Bodies are fully protected with Knapheide's water-based self-healing undercoat
- Electrodeposition prime-paint system provides superior corrosion resistance

POPULAR OPTIONS



REAR CARGO GATES WITH TAILGATE



REAR CARGO GATES WITH TAILGATE AND METERING CHUTE



CAB PROTECTOR



COMBINATION CLASS V HITCH AND ICC BUMPER



PULL TARP SYSTEM

LANDSCAPER STORAGE PACKS



STREET SIDE

- Street side of KPLS-942463A features a personal storage compartment (24"Wx20"Dx63"H)
- Personal storage compartment includes four combination stationary/swivel hooks and a lockable compartment door



CURB SIDE

- Curb side of KPLS-942463A features a tool storage compartment (24"Wx74"Dx63"H) with (2) fixed shelves and a pull-out bin
- Pull-out bin is punched metal with a handle and a lock (19.5"Wx71"Dx10"H) and extends out 48".

SUBFRAME HOISTS



- ED models are powered by a 12-volt pump with a pendant switch control
- DC models are powered by a PTO direct mount pump with push/pull control cables
- Double acting hoist provides power up and down
- Rugged steel lift arm construction provides stable lifting with smooth movement up and down



AVAILABLE MODELS

CHASSIS	LANDSCAPER MODEL	NOMINAL BODY LENGTH	STORAGE PACK OPTION	NOMINAL PACK LENGTH	BODY WEIGHT	CAPACITY*	RECOMMENDED SUBFRAME HOIST	HOIST WEIGHT	CONFIGURATION HOIST CAPACITY
60" CA Dual Rear Wheel	PLB-09C	9'	N/A	N/A	2,585 lb.	8.8 cu. yd.	KHA-1516SF-ED, KHA-1516SF-DC	550 lb.	8.6 tons
84 " CA Dual Rear Wheel	PLB-09C	9'	KPLS-942463A	2'	2,585 lb.	8.8 cu. yd.	KHA-1516SF-ED, KHA-1516SF-DC	550 lb.	11.5 tons
84 " CA Dual Rear Wheel	PLB-11C	11'	N/A	N/A	2,782 lb.	10.2 cu. yd.	KHA-1530SF-ED, KHA-1530SF-DC	580 lb.	10.8 tons
84 " CA Dual Rear Wheel	PLB-12C	12'	N/A	N/A	2,898 lb.	11.6 cu. yd.	KHA-1530SF-ED, KHA-1530SF-DC	580 lb.	9.6 tons
108" CA Dual Rear Wheel	PLB-11C	11'	KPLS-942463A	2'	2,782 lb.	10.2 cu. yd.	KHA-1530SF-ED, KHA-1530SF-DC	580 lb.	10.8 tons
108" CA Dual Rear Wheel	PLB-12C	12'	KPLS-942463A	2'	2,898 lb.	11.6 cu. yd.	KHA-1530SF-ED, KHA-1530SF-DC	580 lb.	9.6 tons

*For reference only. Do not exceed GVWR or GAWR of the chassis.



PLB-12C
*Body may be shown with optional features